

# **Safety Data Sheet**

Copyright,2015Meguiar's, Inc.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| Document Group: | 34-9228-7 | Version Number:  | 2.00     |
|-----------------|-----------|------------------|----------|
| Issue Date:     | 07/10/15  | Supercedes Date: | 07/07/15 |

# **SECTION 1: Identification**

#### 1.1. Product identifier

M772, Air Refresher Fiji Sunset Air (27-145A)

#### 1.2. Recommended use and restrictions on use

#### **Recommended use**

**Telephone:** 

Air refresher for marine use, Marine

| 1.3. Supplier's details<br>MANUFACTURER:<br>DIVISION: | Meguiar's, Inc.<br>Meguiar's            |
|-------------------------------------------------------|-----------------------------------------|
| ADDRESS:                                              | 17991 Mitchell South, Irvine, CA 92614, |

1.4. Emergency telephone number

CHEMTREC 1-800-424-9300 (24 hours)

# **SECTION 2: Hazard identification**

The label elements below were prepared in accordance with OSHA Hazard Communication Standard, 29 CFR 1910.1200. This information may be different from the actual product label information for labels regulated by other agencies.

949-752-8000 (Fax: 949-752-5784)

USA

#### 2.1. Hazard classification

Flammable Aerosol: Category 1. Serious Eye Damage/Irritation: Category 2B. Skin Sensitizer: Category 1. Specific Target Organ Toxicity (single exposure): Category 2. Specific Target Organ Toxicity (central nervous system): Category 3.

2.2. Label elements Signal word Danger

#### Symbols

Flame | Exclamation mark | Health Hazard |

**Pictograms** 



Hazard Statements Extremely flammable aerosol.

Causes eye irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness.

May cause damage to organs: cardiovascular system |

### **Precautionary Statements**

**General:** Keep out of reach of children.

#### **Prevention:**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Do not spray on an open flame or other ignition source.
Pressurized container: Do not pierce or burn, even after use.
Do not breathe dust/fume/gas/mist/vapors/spray.
Use only outdoors or in a well-ventilated area.
Wear protective gloves.
Do not eat, drink or smoke when using this product.
Wash thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.

#### **Response:**

IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice/attention.
Wash contaminated clothing before reuse.
Specific treatment (see Notes to Physician on this label).
Call a POISON CENTER or doctor/physician if you feel unwell.

### Storage:

Protect from sunlight. Do not expose to temperatures exceeding 50C/122F. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

#### **Disposal:**

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

#### Notes to Physician:

Exposure may increase myocardial irritability. Do not administer sympathomimetic drugs unless absolutely necessary.

### 2.3. Hazards not otherwise classified

None.

74% of the mixture consists of ingredients of unknown acute oral toxicity.

# **SECTION 3: Composition/information on ingredients**

| Ingredient                            | C.A.S. No. | % by Wt                |
|---------------------------------------|------------|------------------------|
| 1,1,1,2-TETRAFLUOROETHANE             | 811-97-2   | 50 - 75 Trade Secret * |
| ETHYL ALCOHOL                         | 64-17-5    | 15 - 25 Trade Secret * |
| CYCLOHEXANOL, 2-(1,1-DIMETHYLETHYL)-, | 88-41-5    | 0 - 2 Trade Secret *   |
| ACETATE                               |            |                        |
| Benzyl Salicylate                     | 118-58-1   | < 1 Trade Secret *     |
| Citronellal Hydrate                   | 107-75-5   | < 1 Trade Secret *     |
| HYDROCINNAMALDEHYDE, P-TERT-BUTYL-    | 80-54-6    | < 1 Trade Secret *     |
| .ALPHAMETHYL-                         |            |                        |

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. Get medical attention.

#### **Skin Contact:**

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

#### 4.3. Indication of any immediate medical attention and special treatment required

Exposure may increase myocardial irritability. Do not administer sympathomimetic drugs unless absolutely necessary.

# **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable extinguishing media

Use a fire fighting agent suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

#### 5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### **6.2. Environmental precautions**

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

#### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Seal the container. Dispose of collected material as soon as possible.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Keep out of reach of children. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

#### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 50C/122F. Store away from heat. Store away from acids. Store away from oxidizing agents.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Occupational exposure limits**

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient        | C.A.S. No. | Agency | Limit type                   | <b>Additional Comments</b> |
|-------------------|------------|--------|------------------------------|----------------------------|
| ETHYL ALCOHOL     | 64-17-5    | OSHA   | TWA:1900 mg/m3(1000 ppm)     |                            |
| ETHYL ALCOHOL     | 64-17-5    | ACGIH  | STEL:1000 ppm                | A3: Confirmed animal       |
| 1,1,1,2-          | 811-97-2   | AIHA   | TWA:4240 mg/m3(1000 ppm)     | carcin.                    |
| TETRAFLUOROETHANE | 011 )/ 2   |        | 1 (111.12 to mg/mb(1000 ppm) |                            |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

**CEIL:** Ceiling

#### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

#### 8.2.2. Personal protective equipment (PPE)

#### **Eye/face protection**

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Indirect Vented Goggles

#### **Skin/hand protection**

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

#### **Respiratory protection**

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors

For questions about suitability for a specific application, consult with your respirator manufacturer.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties **General Physical Form:** Liquid

**Odor, Color, Grade:** 

Sweet Clear

| Odor threshold                          | No Data Available |
|-----------------------------------------|-------------------|
| pH                                      | Not Applicable    |
| Melting point                           | No Data Available |
| Boiling Point                           | 13 °F             |
| Flash Point                             | 58 °F             |
| Evaporation rate                        | No Data Available |
| Flammability (solid, gas)               | Not Applicable    |
| Flammable Limits(LEL)                   | No Data Available |
| Flammable Limits(UEL)                   | No Data Available |
| Vapor Pressure                          | No Data Available |
| Vapor Density                           | No Data Available |
| Density                                 | 1.11 g/ml         |
| Specific Gravity                        | 1.11 g/cm3        |
| Solubility In Water                     | No Data Available |
| Solubility- non-water                   | No Data Available |
| Partition coefficient: n-octanol/ water | No Data Available |
| Autoignition temperature                | No Data Available |
| Decomposition temperature               | No Data Available |
| Viscosity                               | No Data Available |

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

#### 10.2. Chemical stability

Stable.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

# **10.4. Conditions to avoid** Heat

**10.5. Incompatible materials** Strong acids

#### 10.6. Hazardous decomposition products

<u>Substance</u>

None known.

**Condition** 

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

#### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

#### Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

May cause additional health effects (see below).

#### Skin Contact:

Contact with the skin during product use is not expected to result in significant irritation. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### **Eye Contact:**

Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

#### **Ingestion:**

May cause additional health effects (see below).

#### **Additional Health Effects:**

#### Single exposure may cause target organ effects:

Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

Cardiac Sensitization: Signs/symptoms may include irregular heartbeat (arrhythmia), faintness, chest pain, and may be fatal.

#### **Carcinogenicity:**

| Ingredient                   | CAS No. | Class Description              | Regulation                                  |
|------------------------------|---------|--------------------------------|---------------------------------------------|
| Generic: ALCOHOLIC BEVERAGES | 64-17-5 | Grp. 1: Carcinogenic to humans | International Agency for Research on Cancer |
| Generic: ALCOHOLIC BEVERAGES | 64-17-5 | Known human carcinogen         | National Toxicology Program Carcinogens     |

#### **Additional Information:**

This product contains ethanol. Alcoholic beverages and ethanol in alcoholic beverages have been classified by the International Agency for Research on Cancer as carcinogenic to humans. There are also data associating human consumption of alcoholic beverages with developmental toxicity and liver toxicity. Exposure to ethanol during the foreseeable use of this product is not expected to cause cancer, developmental toxicity, or liver toxicity.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

| Name                      | Route                             | Species | Value                                           |
|---------------------------|-----------------------------------|---------|-------------------------------------------------|
| Overall product           | Ingestion                         |         | No data available; calculated ATE > 5,000 mg/kg |
| 1,1,1,2-TETRAFLUOROETHANE | Inhalation-<br>Gas (4<br>hours)   | Rat     | LC50 > 359,300 ppm                              |
| ETHYL ALCOHOL             | Dermal                            | Rabbit  | LD50 > 15,800 mg/kg                             |
| ETHYL ALCOHOL             | Inhalation-<br>Vapor (4<br>hours) | Rat     | LC50 124.7 mg/l                                 |
| ETHYL ALCOHOL             | Ingestion                         | Rat     | LD50 17,800 mg/kg                               |

#### ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

| Name                      | Species | Value                     |
|---------------------------|---------|---------------------------|
| 1,1,1,2-TETRAFLUOROETHANE | Rabbit  | No significant irritation |
| ETHYL ALCOHOL             | Rabbit  | No significant irritation |

#### Serious Eye Damage/Irritation

| Name                      | Species | Value                     |
|---------------------------|---------|---------------------------|
| 1,1,1,2-TETRAFLUOROETHANE | Rabbit  | No significant irritation |
| ETHYL ALCOHOL             | Rabbit  | Moderate irritant         |

#### Skin Sensitization

| Name          | Species | Value                                          |
|---------------|---------|------------------------------------------------|
| ETHYL ALCOHOL | Human   | Some positive data exist, but the data are not |
|               |         | sufficient for classification                  |

### **Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

#### Germ Cell Mutagenicity

| Name          | Route    | Value                                          |
|---------------|----------|------------------------------------------------|
|               |          |                                                |
| ETHYL ALCOHOL | In Vitro | Some positive data exist, but the data are not |
|               |          | sufficient for classification                  |
| ETHYL ALCOHOL | In vivo  | Some positive data exist, but the data are not |
|               |          | sufficient for classification                  |

#### Carcinogenicity

| Name          | Route     | Species            | Value                                                                           |
|---------------|-----------|--------------------|---------------------------------------------------------------------------------|
| ETHYL ALCOHOL | Ingestion | Multiple<br>animal | Some positive data exist, but the data are not<br>sufficient for classification |
|               |           | species            |                                                                                 |

### **Reproductive Toxicity**

### **Reproductive and/or Developmental Effects**

| Name          | Route      | Value                                                                                            | Species | Test Result              | Exposure<br>Duration               |
|---------------|------------|--------------------------------------------------------------------------------------------------|---------|--------------------------|------------------------------------|
| ETHYL ALCOHOL | Inhalation | Not toxic to development                                                                         | Rat     | NOAEL 38<br>mg/l         | during gestation                   |
| ETHYL ALCOHOL | Ingestion  | Some positive developmental data exist,<br>but the data are not sufficient for<br>classification | Rat     | NOAEL 5,200<br>mg/kg/day | premating &<br>during<br>gestation |

#### Target Organ(s)

#### Specific Target Organ Toxicity - single exposure

| Name                              | Route      | Target Organ(s)                      | Value                                                                        | Species | Test Result         | Exposure      |
|-----------------------------------|------------|--------------------------------------|------------------------------------------------------------------------------|---------|---------------------|---------------|
|                                   |            |                                      |                                                                              |         |                     | Duration      |
| 1,1,1,2-<br>TETRAFLUOROETHAN<br>E | Inhalation | cardiac sensitization                | May cause damage to organs                                                   | Dog     | NOAEL<br>40,000 ppm | 5 minutes     |
| ETHYL ALCOHOL                     | Inhalation | central nervous<br>system depression | May cause drowsiness or dizziness                                            | Human   | LOAEL 2.6<br>mg/l   | 30 minutes    |
| ETHYL ALCOHOL                     | Inhalation | respiratory irritation               | Some positive data exist, but the data are not sufficient for classification | Human   | LOAEL 9.4<br>mg/l   | not available |

| ETHYL ALCOHOL | Ingestion | central nervous<br>system depression | May cause drowsiness or dizziness                                            | Multiple<br>animal<br>species | NOAEL not<br>available |  |
|---------------|-----------|--------------------------------------|------------------------------------------------------------------------------|-------------------------------|------------------------|--|
| ETHYL ALCOHOL | Ingestion | kidney and/or<br>bladder             | Some positive data exist, but the data are not sufficient for classification | Dog                           | NOAEL<br>3,000 mg/kg   |  |

#### Specific Target Organ Toxicity - repeated exposure

| Name          | Route      | Target Organ(s)                            | Value                                                                        | Species | Test Result                 | Exposure<br>Duration |
|---------------|------------|--------------------------------------------|------------------------------------------------------------------------------|---------|-----------------------------|----------------------|
| ETHYL ALCOHOL | Inhalation | liver                                      | Some positive data exist, but the data are not sufficient for classification | Rabbit  | LOAEL 124<br>mg/l           | 365 days             |
| ETHYL ALCOHOL | Inhalation | hematopoietic<br>system   immune<br>system | Some positive data exist, but the data are not sufficient for classification | Rat     | NOAEL 25<br>mg/l            | 14 days              |
| ETHYL ALCOHOL | Ingestion  | liver                                      | Some positive data exist, but the data are not sufficient for classification | Rat     | LOAEL<br>8,000<br>mg/kg/day | 4 months             |
| ETHYL ALCOHOL | Ingestion  | kidney and/or<br>bladder                   | Some positive data exist, but the data are not sufficient for classification | Dog     | NOAEL<br>3,000<br>mg/kg/day | 7 days               |

#### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

## **SECTION 12: Ecological information**

#### **Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

#### **Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

## **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. Facility must be capable of handling aerosol cans. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

# **SECTION 14: Transport Information**

### DOTG:

LIMITED QUANTITY

### DOTW:

UN1950, AEROSOLS, 2.1, LIMITED QUANTITY

### IATA:

UN 1950, AEROSOLS, FLAMMABLE, 2.1

### <u>IMO</u>

UN 1950, AEROSOLS, 2.1, LIMITED QUANTITY

Please contact the emergency numbers listed on the first page of the MSDS for Transportation Information for this material.

# **SECTION 15: Regulatory information**

### **15.1. US Federal Regulations**

Contact manufacturer for more information 311/312 Hazard Categories:

Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - Yes Delayed Hazard - No

### **15.2. State Regulations**

Contact manufacturer for more information

### **15.3.** Chemical Inventories

The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the new substance notification requirements of CEPA.

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact manufacturer for more information

### **15.4. International Regulations**

Contact manufacturer for more information

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

# **SECTION 16: Other information**

#### **NFPA Hazard Classification**

Health: 1 Flammability: 4 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

| <b>Document Group:</b> | 34-9228-7 | Version Number:  | 2.00     |
|------------------------|-----------|------------------|----------|
| Issue Date:            | 07/10/15  | Supercedes Date: | 07/07/15 |

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Meguiar's, Inc. MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Meguiar's, Inc. product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Meguiar's, Inc. product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Meguiar's, Inc. product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Meguiar's, Inc. provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Meguiar's, Inc. makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Meguiar's, Inc.

#### Meguiar's, Inc. USA SDSs are available at www.Meguiars.com